## Illinois Native Plant Society 2024 Plant List

Plant Sale: Saturday, May 11, 9:00am – 12:00pm Illinois State Fairgrounds Reisch Pavilion

## **Herbaceous Plants**

| Scientific Name                | Common Name          | Description  | Growing Conditions                | Comment                         | Comment  |
|--------------------------------|----------------------|--|-----------------------------------|---------------------------------|--|
| Actaea racemosa                | Black Cohosh         | 3-6', Many white flowers in an erect panicle of wandlike racemes | Moist, part to full shade         | Blooms June to July             | Fragrant flowers; Tolerates rabbits. AKA Cimicifuga racemosa |
| Agastache foeniculum           | Anise Hyssop         | 2-4', Lavender to purple flowers                                 | Dry to moist, Sun to part shade   | Blooms mid-late summer          | Butterfly, bee.  |
| Allium cernuum                 | Nodding Onion        | 12-18", Showy white flowers                                      | Moist to dry, Sun to part shade   | Blooms mid summer               | Bee. Mammals avoid   |
| Allium tricoccum               | Ramp (Wild Leek)     | 18", White flowers after leaves die back                         | Moist, Shade                      | Blooms summer                   | Bee. Edible  |
| Anemone canadensis             | Meadow Anemone       | 6-18", White flowers   | Moist, Sun to part sun            | Blooms late spring-mid summer   | Small bees. Mammals avoid. Spreads to form blooming carpet   |
| Anemone virginiana             | Tall Thimbleweed     | 12-30", White flowers  | Moist to dry, Sun to part shade   | Blooms late spring-mid summer   | Small trees, attractive seed head. Mammals avoid.            |
| Antennaria neglecta            | Field Pussytoes      | 4-6", White flowers  | Prefers clay, Sun to light shade  | Blooms April to June            | Attractive ground cover, Butterfly host plant                |
| Aquilegia canadensis           | Red Columbine        | 30", Scarlet and yellow flowers                                  | Moist to dry, Part shade to shade | Blooms late spring-early summer | Hummingbird, bee   |
| Arnoglossum<br>atriplicifolium | Pale Indian Plantain | 3-9', Cream to whitish bloom panicles                            | Moist to dryish, Sun to It shade  | Blooms mid summer-early fall    | Small bees. Interesting specimen plant                       |
| Aruncus dioicus                | Goatsbeard           | 2-4', White fluffy panicles in spring                            | Wet to moist, Sun to light shade  | Blooms mid-summer.              | Dusky azure larval food.                                     |
| Asarum canadense               | Canadian Wildginger  | 6-12", Purplish brown flowers                                    | Wet to moist, Light to full shade | Blooms mid-late spring          | Mammals avoid. Attractive groundcover                        |
| Asclepias incarnata            | Swamp Milkweed       | 4-5', Pink flowers   | Wet to moist, Sun                 | Blooms mid-late summer          | Monarch larval food.<br>Butterfly, hummingbird, bee          |
| Asclepias syriaca              | Common Milkweed      | 3-5', Fragrant pink to deep pink purple flowers                  | Moist to dry, Sun to part shade   | Blooms summer                   | Preferred Monarch larval food. Bee, butterfly. Spreads       |

| Scientific Name                     | Common Name        | Description                             | Growing Conditions               | Comment                       | Comment   |
|-------------------------------------|--------------------|---|----------------------------------|-------------------------------|---|
| Asclepias tuberosa                  | Butterfly Milkweed | 18-30", Showy orange flowers            | Moist to dry, Sun                | Blooms summer                 | Monarch larval food.<br>Butterfly, hummingbird, bee                               |
| Asclepias verticillata              | Whorled Milkweed   | 12-18", White flowers                   | Moist to dry, Sun                | Blooms late summer            | Monarch larval food.<br>Butterfly, hummingbird, bee                               |
| Baptisia alba                       | White Wild Indigo  | 3-5', Showy white pea-like flowers      | Moist to dry, Sun                | Blooms late spring-mid summer | Butterfly, skipper larval food.<br>Bumblebee. Decorative seed<br>pods             |
| Baptisia australis var.<br>minor    | Blue Wild Indigo   | 18-36"", Showy blue flowers             | Dry, Sun to dappled sun          | Blooms late spring-mid summer | Butterfly, skipper larval food.<br>Bumblebee. Decorative seed<br>pods             |
| Baptisia australis<br>var.australis | Blue Wild Indigo   | 3-4', Showy indigo blue flowers         | Moist to dry, Sun to part shade  | Blooms mid-late spring        | Butterfly, skipper larval food.<br>Bumblebee. Mammals avoid.<br>NE IL native????? |
| Baptisia bracteata                  | Cream Wild Indigo  | 18-24", Showy cream pea-like<br>flowers | Moist to dry, Sun to part shade  | Blooms mid-late spring        | Butterfly, skipper larval food.<br>Bee. Decorative seed pods                      |
| Baptisia tinctoria                  | Yellow Wild Indigo | 2-3', Yellow pea-like flowers           | Dry to Moist, Sun to part shade  | Blooms June to July           | Butterfly, skipper larval food.<br>AKA Small yellow wild indigo                   |
| Blephilia ciliata                   | Downy Pagoda-Plant | 12-24", Pale lavender flowers           | Dry to Moist, Sun to light shade | Blooms early summer           | Bee, butterfly  |
| Blephilia hirsuta                   | Hairy Pagoda-Plant | 12-30", White to pale lavender flowers  | Dry to Moist, Sun to part shade  | Blooms summer                 | Bee, butterfly  |
| Bouteloua curtipendula              | Sideoats Grama     | 18-30", Purplish flowers                | Dry to moist, Sun                | Blooms mid summer-early fall  | Some skipper larval food.<br>Decorative native grass                              |
| Bouteloua gracilis                  | Blue Grama         | 12", Bluish flowers                     | Dry to moist, Sun                | Blooms July to August         | Decorative native grass, native in NW IL  |
| Cardamine bulbosa                   | Spring Cress       | 2-3', White flowers                     | Wet to moist, Shade              | Blooms mid-late spring        | Butterfly, bee. Mammals<br>avoid. AKA Blubous<br>Bittercress                      |
| Carex bicknellii                    | Bicknell's Sedge   | 18-30", Lt green inflorescence up to 2" | Moist to Dry, Sun                | Blooms late spring            | Some gamebirds and songbirds eat seed   |

| Scientific Name                       | Common Name                   | Description   | Growing Conditions                | Comment   | Comment   |
|---------------------------------------|-------------------------------|---|-----------------------------------|---|---|
| Carex brevior                         | Shortbeak Sedge               | 18-30", green inflorescence often with contrasting red scales | Mesic to Dry, Full sun            | : Blooms late spring to early summer                                | AKA Plains Oval Sedge,<br>Fescue Sedge, or Brevior<br>Sedge               |
| Carex jamesii                         | James' Sedge                  | To 12", Small green inflorescence                             | Moist to dry, Part sun to shade   | Blooms mid-late spring  | Butterfly, skipper larval food  |
| Carex muskingumensis                  | Muskingum (Palm)<br>Sedge     | 1', Attractive inflorescence                                  | Moist, Sun to shade               | Blooms late spring-early summer                                     | Butterfly, skipper larval food.<br>Attractive foliage, flowers            |
| Carex vulpinoidea                     | Common Fox Sedge              | 18-40", Inflorescence2-5"                                     | Wet to Moist, Sun to part shade   | Blooms late spring-early summer                                     | Skipper larval food. Some<br>birds eat seed, AKA Brown<br>Fox Sedge       |
| Chelone obliqua                       | Red Turtlehead                | 3-4', Pink flowers  | Wet to Moist, Sun to part shade   | Blooms in fall  | Bumblebee, hummingbird.<br>Forms colonies.AKA Pink<br>Turtlehead          |
| Conoclinium<br>coelestinum            | Blue Mistflower               | 18-24", Showy pale purple flowers                             | Moist, Light shade to part sun    | Blooms mid summer-early fall  | Butterfly, bee. AKA<br>Eupatorium coelestinum                             |
| Coreopsis lanceolata                  | Lanceleaf (Sand)<br>Coreopsis | 1-3', Yellow flowers  | Dry to moist, Sun                 | Blooms summer   | Butterfly, Bee. Good cut<br>flower. AKA Lanceleaf<br>Tickseed             |
| Coreopsis palmata                     | Prairie Coreopsis             | 12-30", Yellow flowers  | Dry to moist, Sun                 | Blooms early summer   | Butterfly, Bee. Good cut<br>flower. AKA Stiff Tickseed                    |
| Corydalis flavula                     | Yellow Fumewort               | 8", Small yellow flowers                                      | Dry, Sun to light shade           | Early spring blooming winter annual. AKA Yellow Harlequin Corydalis | Early spring blooming winter<br>annual. AKA Yellow Harlequin<br>Corydalis |
| Corydalis micrantha ssp.<br>micrantha | Smallflower<br>Fumewort       | 6-8", Small yellow flowers                                    | Moist, Part shade                 | Early spring blooming winter annual                                 | Compact. AKA Slender<br>Corydalis   |
| Dalea candida                         | White Prairie Clover          | 1-2', Small White Flowers                                     | Dry to Moist Well-drained,<br>Sun | Blooms early-mid summer   | AKA Petalostemum candidum   |
| Dalea purpurea                        | Purple Prairie Clover         | 1-3', Purple flowers  | Moist to dry, Sun                 | Blooms early-mid summer   | Dogface Sulfur larval food.<br>Bee, butterfly                             |
| Delphinium tricorne                   | Dwarf Larkspur                | 1', Showy blue-violet flowers                                 | Mesic to dry, Partial shade       | Blooms late spring  | Butterfly, Bee, Hummingbird.<br>Striking when in bloom.                   |

| Scientific Name              | Common Name                  | Description                            | Growing Conditions                   | Comment   | Comment   |
|------------------------------|------------------------------|--|--------------------------------------|---|---|
| Dennstaedtia<br>punctilobula | Hay-Scented Fern             | 1-3', Non-flowering                    | Moist, Part shade                    | Medium fern with fronds in loose clusters         | Dried fronds are hay scented.<br>Mammals avoid                                    |
| Diarrhena americana          | American Beakgrain           | 2-3', Dark green foliage               | Moist, Part to full shade            | Blooms mid summer                                 | Ornamental grass. AKA<br>American Beakgrass                                       |
| Dodecatheon meadia           | Shooting Star                | 12-18", White, pink, or purple flowers | Moist to dry, Sun to light shade     | Blooms late spring                                | Bee. Showy flowers. AKA<br>Primula meadia   |
| Drymocallis arguta           | Prairie Cinquefoil           | 2-3', Creamy flowers                   | Moist to dry, Sun                    | Blooms midsummer                                  | Easy to grow. AKA Potentilla arguta   |
| Dryopteris marginalis        | Leatherwood Fern             | 1-3', Non-flowering                    | Dry to medium, Part to full<br>Shade | Thick leathery fronds remain green through winter |   |
| Echinacea pallida            | Pale Purple<br>Coneflower    | To 3', Light pink flowers              | Moist to dry, Sun                    | Blooms early-mid summer                           | Silvery Checkerspot larval food. Butterfly, bee                                   |
| Echinacea purpurea           | Eastern Purple<br>Coneflower | To 4', Pink flowers                    | Moist to dry, Sun                    | Blooms mid-late summer                            | Silvery Checkerspot larval food. Butterfly, bee                                   |
| Elymus hystrix               |                              | 3-5', Bottlebrush-shaped seed heads    | Dry to Moist, Sun to part shade      | Blooms summer                                     | Northern Pearly Eye larval food. Showy seed heads                                 |
| Enemion biternatum           | Eastern False Rue<br>Anemone | 5-9", White flowers                    | Moist, Part shade                    | Blooms mid spring                                 | Bee. AKA Isopyrum<br>biternatum   |
| Erigeron pulchellus          | Robin's Plantain             | 18", Pinkish white flowers             | Moist to dry, Light shade            | Butterfly plant. Spring bloomer                   | Butterfly plant. Spring bloomer   |
| Eryngium yuccifolium         | Rattlesnake Master           | 3-5', White flowers                    | Moist to dry, Sun to light shade     | Blooms mid-late summer                            | Butterfly, bee. Excellent accent plant  |
| Euphorbia corollata          | Flowering Spurge             | 2-3', White "flowers"                  | Mesic to Dry, Sun to light shade     | Blooms, early summer to fall                      | Bee, Butterfly  |
| Eurybia macrophylla          | Big-leaved Aster             | 1-4', Lavender to Purple flowers       | Moist to dry, Part sun to It shade   | fall  | Silvery Checkerspot, Pearl<br>Crescent larval food.<br>Butterfly, bee. N IL plant |
| Eutrochium maculatum         | Spotted Joe Pye<br>Weed      | 2-4', Dusky rose flowers               | Moist to wet, Sun to part shade      | Blooms mid-late summer                            | Butterfly, bee. AKA<br>Eupatorium maculatum                                       |
| Eutrochium purpureum         | Sweet Joe Pye Weed           | 4-7', Mauve pink flowers               | Moist to wet, Sun to part shade      | Blooms mid-late summer                            | Butterfly, bee. AKA Purple Joe<br>Pye   |
| Gentiana alba                | Cream Gentian                | 1-2', White flowers                    | Moist, Sun to light shade            | Blooms late summer-early fall                     | Bumblebee.  |

| Scientific Name                                 | Common Name                        | Description                              | Growing Conditions               | Comment   | Comment   |
|---|------------------------------------|--|----------------------------------|---|---|
| Gentiana andrewsii                              | Closed Bottle<br>Gentian           | 1-2', Blue flowers                       | Moist, Light shade               | Fall blooming. AKA Blue<br>Bottle Gentian                   | Bumblebee.  |
| Gentiana puberulenta                            | Downy Gentian                      | 1-2', Blue flowers                       | Moist, Sun to part shade         | Fall blooming.  | Late showy bloomer  |
| Geranium maculatum                              | Wild Geranium                      | To 30"', Purplish-pink flowers           | Moist to dryish, Shade           | Blooms late spring-early summer                             | Butterfly, bee. Can form<br>dense colonies. AKA Spotted<br>Geranium |
| Gillenia (Porteranthus)<br>stipulata            | American Ipecac                    | To 30", Small white flowers              | Moist, Sun to light shade        | Blooms early-mid summer                                     | Bee, butterfly. 3 Season<br>Plant. AKA Indian Physic                |
| Glandularia canadensis                          | Rose Mock Vervain                  | 1', Purple flowers                       | Dry to moist, Full sun           | Will not tolerate<br>competition. AKA<br>Verbena canadensis | Butterfly, bee  |
| Helenium autumnale                              | Common<br>Sneezeweed               | 3-4', Abundant yellow daisy-like flowers | Moist, Sun                       | Blooms fall   | Bee, butterfly. Mammals avoid                                       |
| Heliopsis helianthoides                         | False Sunflower                    | 3-5', Yellow-orange rays, Brown disc     | Dry to moist, Sun                | Blooms June to August                                       | Good cut flower   |
| Hepatica nobilis var.<br>acuta                  | Sharp-Lobed<br>Hepatica            | 4-8", Blue, white, or rose flowers       | Moist, Part to light shade       | Blooms early-mid spring                                     | Bee. AKA Hepatica acutiloba   |
| Heuchera richardsonii                           | Richardson's<br>(Prairie) Alumroot | 1-2', Greenish flowers                   | Moist to Dry, Sun to light shade | Blooms early summer   | Bee. Good rock garden plant   |
| Hibiscus laevis                                 | Halberdleaf<br>Rosemallow          | 3-5', Large light pink flowers           | Moist to Wet, Sun                | Blooms August to<br>September                               | Very Showy. AKA Hibiscus<br>militaris                               |
| Hibiscus lasiocarpus                            | (Hairy) Rosemallow                 | 3-6', Large white to light pink flowers  | Wet to moist, Sun to part shade  | Blooms mid summer-early fall                                | Some butterfly larval food.<br>Hummingbird, bee                     |
| Hibiscus moscheutos                             | Crimsoneyed<br>Rosemallow          | 3-5', Large white to light pink flowers  | Moist to Wet, Sun to part shade  | Blooms mid summer-early fall                                | Very showy  |
| Hierochloe odorata                              | Sweet or Vanilla<br>Grass          | 18", Vanilla like fragrance              | Moist to dry, Sun                | Blooms May  | Used in Native American<br>ceremonies, AKA<br>Anthoxanthum hirtum   |
| Hydrastis canadensis                            | Goldenseal                         | 10-18", Greenish-white flowers           | Moist, Part shade                | Blooms mid-late spring                                      | Bee. Attractive red berries.<br>Can be poisionous                   |
| Hydrophyllum<br>virginianum var.<br>virginianum | Virginia Waterleaf                 | 8-24", Showy lilac to whitish flowers    | Moist, Part sun to light shade   | Blooms late spring-early summer                             | Bee. AKA Eastern Waterleaf  |
| Hymenocallis<br>occidentalis                    | Spiderlily                         | To 30", Large showy white flowers        | Moist, Sun to part shade         | Blooms summer   | Spectacular when in bloom   |

| Scientific Name                      | Common Name                    | Description                                | <b>Growing Conditions</b>             | Comment                         | Comment  |
|--------------------------------------|--------------------------------|--|---------------------------------------|---------------------------------|--|
| Impatiens capensis                   | Jewelweed                      | 3'-4' Herbaceous annual, Showy             | Moist to wet, Part Sun to             | Blooms mid-summer to            | Hummingbird, bee favorite,   |
|                                      |                                | orange flowers                             | shade                                 | early fall                      | AKA touch-me-not   |
| Iodanthus pinnatifidus               | Purple Rocket                  | 18-24", Bluish-purple flowers              | Moist, Part sun to shade              | Blooms summer                   | Bee, Butterfly. AKA Violet cress   |
| Iris cristata                        | Dwarf Crested Iris             | 8-12", Lt blue to It purple flowers        | Moist, Light shade                    | Blooms mid spring               | Bee. Wonderful dwarf iris.<br>Forms colonies   |
| Iris fulva                           | Copper Iris                    | 2-3', Showy copper flowers                 | Wet to moist, Sun to part shade       | Blooms late spring-early summer | Hummingbird, bee. Rare native Iris   |
| Iris virginica var. shrevei          | Shreve's Iris                  | 3-5', Blue flowers                         | Wet to moist, Sun to part shade       | Blooms late spring-early summer | Bee, hummingbird. Forms colonies. AKA Blue Flag Iris                                   |
| Juncus tenuis                        | Path Rush                      | 4-12", Densely tufted                      | Wet to mesic, Full sun to light shade | Blooms summer                   | Withstands foot traffic, compacted soil.   |
| Koeleria macrantha                   | Prairie Junegrass              | 12-20", Showy dense seed heads             | Moist to dry, Sun to light shade      | Blooms late spring-early summer | Attractive edging grass  |
| Lespedeza virginica                  | Slender Lespedeza              | 30", Purple flowers                        | Moist, Sun to light shade             | Blooms July to August           | Excellent wildlife food plant  |
| Liatris aspera                       | Rough Blazing Star             | 2-5', Purple flower spikes                 | Dry to Moist, Sun to part shade       | Blooms late summer-early fall   | Butterfly, hummingbird, bee, skipper. Monarch favorite                                 |
| Liatris ligulistylis                 | Rocky Mountain<br>Blazing Star | 2-5', Spike of purple flowers              | Dry to moist, Sun to light shade      | Blooms mid summer-early fall    | Butterfly, hummingbird, bee.<br>AKA Meadow Blazing Star                                |
| Liatris pycnostachya                 | Prairie Blazing Star           | 3-4', Dense pinkish purple bloom<br>spikes | Moist, Sun to light shade             | Blooms late summer              | Butterfly, hummingbird, bee, skipper. Monarch favorite.                                |
| Liatris scariosa var.<br>nieuwlandii | Savanna Blazing Star           | 3-5', Spike of purple flower spikes        | Moist to Dry, Sun to light shade      | Blooms late sum-mid fall        | Butterfly, hummingbird, bee,<br>skipper. Monarch favorite.<br>AKA Liatris ligulistylis |
| Lobelia cardinalis                   | Cardinal Flower                | 2-4', Red flowers                          | Moist, Sun to light shade             | Blooms late summer-early fall   | Butterfly, hummingbird,.<br>Most mammals avoid   |
| Lobelia siphilitica                  | Great Blue Lobelia             | 1-3', Blue flower spikes                   | Moist. Light shade to sun             | Blooms late summer-fall         | Butterfly, hummingbird, bee.<br>Most mammals avoid                                     |
| Lobelia spicata                      | Palespike Lobelia              | 2-3', Pale blue flower spikes              | Moist to dry, Sun to light shade      | Blooms mid summer               | Butterfly, bee, skipper. Most mammals avoid  |

| Scientific Name              | Common Name                    | Description                           | Growing Conditions               | Comment                           | Comment  |
|------------------------------|--------------------------------|---------------------------------------|----------------------------------|-----------------------------------|--|
| Lysimachia terrestris        | Swamp Candles                  | To 36", Yellow flowers with           | Wet ot moist, Sun to part        | Blooms summer                     | Some bees. Clonal. Division of   |
| Lysimacina terrestris        | Swarrip caridies               | orangish red                          | shade                            | bioonis summer                    | IL Wildflowers plant   |
| Lythrum alatum               | Winged Lythrum                 | 2-3', Purplish-pink flowers           | Moist to wet, Sun to part shade  | Blooms June to<br>September       | Attracts butterflies   |
| Maianthemum<br>racemosum     | False Solomon's Seal           | 12-30", White flowers                 | Moist, Part shade                | Blooms late spring-early summer   | Bee. AKA Smilacina racemosa  |
| Maianthemum<br>stellatum     | Starry False<br>Solomon's Seal | 12-18", White flowers                 | Moist, Part shade                | Blooms late spring                | Bee. Choice native. AKA<br>Smilacina stellatum                         |
| Matteuccia<br>struthiopteris | Ostrich Fern                   | 3-5',Non-flowering                    | Moist to wet, Part to full shade | Large fern. Forms dense colonies  | Erect fronds have striking appearance                                  |
| Melica nitens                | Threeflower<br>Melicgrass      | 1-3', Dense tufts                     | Dry, Light shade                 | Blooms early summer               | Very attractive for dried arrangements                                 |
| Mertensia virginica          | Virginia Bluebells             | 18-30", Showy blue flowers            | Moist, Light shade               | Blooms mid spring                 | Bee, butterfly, occasional hummingbird                                 |
| Mimulus ringens              | Monkeyflower                   | 1-3', Pale purplish blue flowers      | Wet to moist, Sun to light shade | Blooms mid summer-early fall      | Buckeye larval food.<br>Bumblebee                                      |
| Monarda bradburiana          | Eastern Beebalm                | 1-2', White to pink with purple dots  | Moist to dry, Sun to part shade  | Blooms late spring-early summer   | Butterfly, hummingbird, bee  |
| Monarda fistulosa            | Wild Bergamot                  | 30-48", Pinkish-lavender flowers      | Moist to dry, Sun to light shade | Blooms mid summer                 | Butterfly, hummingbird, bee,<br>skipper. Mammals avoid. Will<br>spread |
| Monarda punctata             | Spotted Beebalm                | 1-3', Cream flowers with purple spots | Dry to moist, Sun                | Blooms mid summer-early fall      | Butterfly, bee. Mammals avoid  |
| Oligoneuron rigidum          | Stiff Goldenrod                | 3-5', Yellow flowers                  | Moist to dry, Sun                | Blooms late summer- fall          | Butterfly, bee. Monarch<br>favorite. AKA Solidago rigida               |
| Onoclea sensibilis           | Sensitive Fern                 | 18-30"', Non-flowering                | Moist, Light shade               | Medium fern. Forms open colonies  | Fertile leafs dry for winter interest                                  |
| Orbexilum onobrychis         | French-grass                   | 24-42", Lt bluish-purple flowers      | Moist to dry, Sun to part shade  | Blooms late spring-mid-<br>summer | Bee,butterfly,skipper. Clonal.<br>Uncommon, but easy to grow           |
| Packera obovata              | Roundleaf Ragwort              | 9-24", Yellow flowers                 | Moist to dry, Sun to light shade | Blooms April to May               | Evergreen groundcover, AKA<br>Senecio obovatus                         |
| Parthenium<br>integrifolium  | Wild Quinine                   | To 3', White flowers                  | Moist to dry, Sun                | Blooms late spring-mid summer     | Bee. Mammals avoid   |

| Scientific Name                   | Common Name               | Description                                   | Growing Conditions                | Comment                             | Comment  |
|-----------------------------------|---------------------------|---|-----------------------------------|-------------------------------------|--|
| Penstemon digitalis               | Foxglove<br>Beardtongue   | 2-3', White foxglove-like flowers             | Moist to dry, Sun to part shade   | Blooms late spring-early summer     | Butterfly, hummingbird, bee.<br>AKA Foxglove Beardtongue             |
| Penstemon hirsutus                | Hairy Beardtongue         | 1-2', Pinkish-purple to white tubular flowers | Moist to dry, Sun to part shade   | Blooms late spring-early summer     | Butterfliy, bee, skipper,<br>hummingbird. Good garden<br>plant.      |
| Penstemon pallidus                | Pale Beardstongue         | To 2', White to pale lavender tubular flowers | Moist to dry, Sun to part shade   | Blooms mid spring-early summer      | Bee. Good garden plant.<br>Most mammals avoid                        |
| Phacelia purshii                  | Miami Mist                | To 1', Fringed very light blue flowers        | Moist, Partial shade              | Blooms spring                       | Butterflies, skippers, moths.<br>Winter annual.                      |
| Phlox divaricata ssp.<br>laphamii | Lapham's Phlox            | 10-20", Fragrant blue-violet flowers          | Moist to dry, Shade               | Blooms spring-early summer          | Butterfly, bee, skipper. AKA<br>Woodland Phlox                       |
| Phlox glaberrima                  | Marsh Phlox               | To 30", Fragrant pink to lavender             | Moist, Sun to light shade         | Blooms late spring-late summer      | Butterfly, skipper. Attractive foliage and flowers. Mildew resistant |
| Phlox glaberrima<br>ssp.interior  | Smooth Phlox              | To 30", Fragrant lavender to white flowers    | Moist, Sun to light shade         | Blooms late spring-late summer      | Butterfly, skipper. Attractive foliage and flowers. Mildew resistant |
| Phlox paniculata                  | Fall Phlox                | 30", Fragrant lavender to white flowers       | Moist, Part shade to sun          | Blooms mid summer-early fall        | Butterfly. Fragrant. Mildew resistant. AKA Summer Phlox              |
| Phlox pilosa                      | Downy Phlox               | 12-20", Fragrant lavender flowers             | Moist to dry, Sun to It shade     | Blooms late spring-early summer     | Butterfly, bee. Mildew<br>resistant. AKA Prairie Phlox               |
| Physostegia virginiana            | Prairie<br>Obedientflower | 3', Pinkish flowers                           | Moist to dry, Sun                 | Blooms June to<br>September         | Clumping. AKA Physostegia speciosa                                   |
| Podophyllum peltatum              | May Apple                 | 12-18", Large white flowers                   | Moist to dry, Part to light shade | Blooms mid-late spring              | Bee. Mammals avoid   |
| Polemonium reptans                | Jacob's Ladder            | 6-18", Showy blue to white flowers            | Moist, Light shade                | Blooms late spring                  | Butterfly, bee, skipper.<br>Attractive plant especially in<br>bloom  |
| Polygonatum biflorum              | Smooth Solomon's<br>Seal  | 2-3', White bell shaped flowers               | Moist, Shade                      | Blooms late spring-early summer     | Bee, hummingbird   |
| Polystichum<br>acrostichoides     | Christmas Fern            | 1-2', Non-flowering                           | Moist to dry, Part to full shade  | Medium size fern.<br>Spreads slowly | Stays green in winter  |

| Scientific Name                 | Common Name              | Description   | Growing Conditions                               | Comment                            | Comment   |
|---------------------------------|--------------------------|---|--|------------------------------------|---|
| Pycnanthemum<br>tenuifolium     | Slender<br>Mountainmint  | 1-3', White flowers                                 | Dry to moist, Sun to part shade                  | Blooms July to September           | Butterfly Plant   |
| Pycnanthemum<br>verticillatum   | Hairy Mountain<br>Mint   | 1-3', White with purple spotted flowers             | Dry to moist, Sun to light shade                 | Blooms July to September           | Butterfly Plant   |
| Ratibida pinnata                | Grayheaded<br>Coneflower | To 4', Yellow petals with brown center              | Moist to dry, Sun to part shade                  | Blooms early summer-<br>early fall | Silvery Checkerspot larval<br>food. Bee, butterfly AKA<br>Yellow Coneflower         |
| Rudbeckia fulgida               | Orange Coneflower        | To 30", Yellow petals with brown center             | Moist to dry, Sun to part shade                  | Blooms mid summer-early fall       | Bee, butterfly, skipper.<br>Excellent garden and cut<br>flower                      |
| Rudbeckia<br>subtomentosa       | Sweet Coneflower         | 4-5', Yellow petals with brown center               | Moist to dry, Sun to part shade                  | Blooms July to October             | Excellent cut flower  |
| Rudbeckia triloba               | Brown-eyed Susan         | 4-5', Small yellow flowers with brown center        | Moist to dry, Sun to part shade                  | Blooms late summer to fall         | Bee, butterfly.   |
| Ruellia humilis                 | Wild Petunia             | 12-18", Light purple flowers                        | Moist to dry, Sun to part shade                  | Blooms summer                      | Bee. Good companion for<br>Prairie Milkweed   |
| Salvia azurea                   | Azure Blue Sage          | 3-5', Sky blue flowers                              | Dry to moist, Sun                                | Blooms late summer-mid fall        | Bee, butterfly, skipper.<br>Mammals avoid. Heat,<br>drought tolerant                |
| Salvia lyrata                   | Lyreleaf Sage            | 1-2', Purple flowers                                | Moist to wet, Sun                                | Blooms April to June               | Attracts butterflies. Good for rain gardens   |
| Sanguinaria canadensis          | Blood Root               | 6-12", Showy fragrant white flowers, yellow centers | Moist to dry, Part to full shade with spring sun | Blooms early-mid spring            | Bee. Leafs and roots toxic  |
| Schizachyrium<br>scoparium      | Little Bluestem          | To 40", Feathery seed heads                         | Dry, Sun   | Blooms late summer-early fall      | Several skippers larval food.<br>Small songbirds eat seed.<br>Bronze-orange in fall |
| Scutellaria galericulata<br>NEW | Marsh Skullcap           | 9-30", Blue flowers                                 | Moist to wet, Sun to light shade                 | Blooms mid summer-early fall       | Spreads by seed and runners.<br>Good for rain gardens                               |
| Scutellaria ovata               | Heartleaf Skullcap       | 24-30", Blue flowers                                | Moist to Dry, Full sun to lt shade               | Blooms late spring to midsummer    | Easily grown  |
| Scutellaria parvula             | Small Skullcap           | 4-8", Blue flowers                                  | Moist to Dry, Full sun to It shade               | Blooms late spring-early summer    | Bee. Good rock garden plant.<br>Mammals avoid                                       |
| Sedum pulchellum                | Widowscross              | 4-10", Pink or white flowers                        | Dry, Sun to light shade                          | Blooms late spring-early summer    | Bee. Self-seeding winter annual.  |

| Scientific Name                  | Common Name                    | Description                                  | Growing Conditions                     | Comment                                 | Comment  |
|----------------------------------|--------------------------------|--|--|---|--|
| Sedum ternatum                   | Woodland<br>Stonecrop          | 8", White flowers                            | Moist to dry, Shade                    | Blooms mid spring-early summer          | Bee. Excellent shade ground cover. AKA Wild Stonecrop  |
| Senna marilandica                | Maryland Senna                 | 3-4', Yellow flowers                         | Moist, Sun to shade                    | Blooms July to August                   | AKA Cassia marilandica. Very showy flowers   |
| Silene regia                     | Royal Catchfly                 | 2-3', Red or scarlet flowers                 | Moist to Dry, Full sun to It shade     | Blooms mid-late summer                  | Hummingbird, butterfly.<br>Showy   |
| Silphium integrifolium           | Rosinweed                      | 3-5', Sunflower like Yellow flowers          | Moist to dry, Sun                      | Blooms mid summer-early fall            | Bee, occasional butterfly.<br>Disease resistant plant  |
| Silphium laciniatum              | Compass Plant                  | To 10', Sunflower-like yellow flowers        | Moist to dry, Sun                      | Blooms mid summer                       | Bee, occasional butterfly.<br>Unusual foliage orientation  |
| Silphium<br>terebinthinaceum     | Prairie Dock                   | To 10', Sunflower like Yellow flowers        | Moist to dry, Sun                      | Blooms July to September                | Imposing prairie plant   |
| Sisyrinchium<br>angustifolium    | Narrowleaf Blue-<br>Eyed Grass | 12-18", Violet-blue flowers                  | Dry to moist, Sun to light shade       | Blooms late spring-early summer         | Bee. Needs to be divided every 2-3 years   |
| Solidago flexicaulis             | Zigzag Goldenrod               | 1-3', Yellow flowers                         | Moist well drained, Light shade        | Blooms late summer-early fall           | Bee, butterfly. Attractive woodland bloomer  |
| Solidago speciosa                | Showy Goldenrod                | 3-4', Bright yellow plumy flowers            | Moist to dry, Sun                      | Blooms late summer-early fall           | Butterfly, bee. Super bloomer with lots of nectar  |
| Spigelia marilandica             | Indianpink                     | 1-2', Two-toned red and yellow flowers       | Moist, Part to full shade              | Blooms late spring-early summer         | Hummingbird. Striking<br>flowers. AKA Woodland<br>Pinkroot   |
| Sporobolus heterolepis           | Prairie Dropseed               | To 30", Fountain-shaped grass                | Dry to moist, Full sun                 | Blooms late summer-mid fall             | Small songbirds eat seed.<br>Showy. Buttered popcorn<br>scented  |
| Stylophorum diphyllum            | Celandine Poppy                | 12-18", Showy yellow flowers                 | Moist, Shade                           | Blooms mid-late spring,<br>some rebloom | Pollinators TBD. Easy to grow.<br>Mammals avoid. AKA Wood<br>Poppy   |
| Symphyotrichum laeve             | Smooth Blue Aster              | 1.5-3', Blue to purple flowers               | Mesic, Full to part sun                | Blooms early fall                       | Butterfly host plant, bee.<br>Attractive foliage.  |
| Symphyotrichum novae-<br>angliae | New England Aster              | 4-5', Pink, purple, rose, or magenta flowers | Moist to slightly dry, Sun to part sun | Blooms fall to killing frost            | Silvery Checkerspot, Pearl<br>Crescent larval food.<br>Butterfly, bee, skipper. Clip to<br>shorten. Monarch favorite |

| Scientific Name                       | Common Name          | Description                                     | Growing Conditions                 | Comment                                   | Comment   |
|---------------------------------------|----------------------|---|------------------------------------|---|---|
| Symphyotrichum<br>oblongifolium       | Aromatic Aster       | 1-3', Blue to purple flowers                    | Dry, Sun                           | Blooms fall to killing frost              | Silvery Checkerspot, Pearl<br>Crescent larval food.<br>Butterfly, bee, skipper.<br>Monarch favorite |
| Symphyotrichum shortii                | Short's Aster        | 1-3 ', Purple flowers                           | Moist, Part to full shade          | Blooms August to<br>October               | Butterfly plant. AKA Aster shortii, Heavy reseeder  |
| Tephrosia virginiana                  | Goat's-Rue           | 18-30", Two tone pink/yellow flowers            | Dry to moist, Sun to light shade   | Blooms May to August                      | Spectacular when in bloom   |
| Thalictrum revolutum                  | Waxy Meadow Rue      | 3-7', Whitish to green flowers                  | Moist to dry, Part to full sun     | Blooms late spring-early summer           | Bee. Attractive in bloom.<br>Dioecious  |
| Tradescantia ohiensis                 | Ohio Spiderwort      | 30", Purple, pink, or white flowers             | Moist to dry, Sun                  | Blooms in the morning,<br>Mixed selection | Bee. Deer resistant.  |
| Trillium recurvatum recurvatum        | Prairie Trillium     | 6-18", Maroon flowers                           | Moist, Part to full shade          | Blooms mid-late spring                    | Excellent when massed. Spreads slowly   |
| Trillium recurvatum<br>shayii         | Shay's Trillium      | 6-18", Yellow flowers with yellow anthers       | Moist, Part to full shade          | Blooms mid-late spring                    | Spreads slowly. Rare in IL  |
| Uvularia grandiflora                  | Largeflower Bellwort | 18-30", Yellow flowers                          | Moist to slightly dry, Light shade | Blooms mid spring                         | Bee. Showy bell shaped flowers  |
| Valeriana pauciflora                  | Largeflower Valerian | 18-30", Spectacular white to light pink flowers | Moist, Light shade                 | Blooms late spring-early summer           | Uncommon blooming shade groundcover. Spreads slowly by runners                                      |
| Verbena stricta                       | Hoary Vervain        | 24-42"', Lavender flowers                       | Moist to Dry, Sun                  | Blooms mid-late summer                    | Butterfly, bee, skipper.<br>Mammals avoid. AKA Hoary<br>Verbena                                     |
| Verbesina virginica var.<br>virginica | White Crownbeard     | 3-5', White flowers                             | Moist to dry, Sun to part shade    | Blooms late summer-mid fall               | Silvery Checkerspot larval<br>food. Butterfly, bee.<br>Mammals avoid. Forms<br>frostflowers         |
| Vernonia fasciculata                  | Prairie Ironweed     | 2-4', Purple flowers                            | Moist to slightly dry, Sun         | Blooms late summer-early fall             | Butterfly, bee, skipper.<br>Mammals avoid   |
| Veronicastrum<br>virginicum           | Culver's Root        | To 4', White candelabra flowers                 | Moist to day, Full to part sun     | Blooms early-mid summer                   | Butterfly, Bee. Striking when in bloom  |
| Viola striata                         | Striped Cream Violet | 6-8 ", White flowers                            | Moist, Light shade                 | Blooms mid spring-early summer            | Fritillary larval food. Bee,<br>butterfy, skipper. Easy to<br>grow.                                 |

| Scientific Name | Common Name                    | Description            | Growing Conditions                   | Comment                         | Comment   |
|-----------------|--------------------------------|------------------------|--------------------------------------|---------------------------------|---|
| Zizia aptera    | Heartleaf Golden<br>Alexanders | To 30", Yellow flowers | Mesic to Dry, Full sun to part shade |                                 | Similar to Golden Alexanders,<br>differing primarily by leaf<br>shape                 |
| Zizia aurea     | Golden Alexanders              | To 30", Yellow flowers | l                                    | Blooms late spring-early summer | Eastern Black Swallowtail<br>larval food. Bee, small<br>butterflies. AKA Golden Zizia |

## **Trees & Shrubs**

| Scientific Name                                    | Common Name                       | Description  | Growing Conditions   | Comment   |
|--|-----------------------------------|--|--|---|
| Aesculus glabra                                    | Ohio buckeye                      | 50'-75' shade tree, known for interesting fruit      | Sun to shade, Moist, well-drained soil                       | Attractive white flowers loved by hummingbirds                                    |
| Aesculus glabra var.<br>nana                       | Dwarf Ohio buckeye                | A rare 6' shrubby form of Ohio<br>buckeye            | Sun to shade, Moist, well-drained soil                       | Attractive white flowers loved by hummingbirds                                    |
| Aesculus pavia                                     | Red Buckeye                       | 25' small tree with showy red flowers                | Dappled shade, Moist soil                                    | Hummingbird plant,<br>Familiar smooth seed  |
| Amelanchier arborea                                | Downy Serviceberry                | 15'-25' small tree with showy,<br>white flowers      | Sun to part shade, moist<br>but well-drained, acidic<br>soil | Birds feed on purple-black<br>fruits, good reddish fall<br>color                  |
| Amelanchier x<br>grandiflora 'Autumn<br>Brillance' | Autumn Brilliance<br>Serviceberry | Small tree up to 25', White blooms in late April-May | Sun to part shade, Moist, well-drained soil                  | Berries are edible, prized<br>by birds and humans;<br>great red-orange fall color |
| Amorpha canescens                                  | Leadplant                         | To 3', Purple flowers                                | Dry to moist, Sun  | Blooms mid summer,<br>Gray Hairstreak larval<br>food                              |
| Amorpha fruticosa                                  | Indigobush                        | 6-10' airy shrub with blue flower spikes             | Sun to part shade, Well-<br>drained site                     | Seeds readily   |
| Aronia melanocarpa                                 | Black Chokeberry                  | 3'-5' small, mound-shaped shrub                      | Sun to part shade, Moist, well-drained soil                  | White spring flowers,<br>Black berries, Showy fall<br>foliage                     |
| Asimina triloba                                    | Pawpaw                            | 30' small tree or shrub bearing unusual fruit        | Sun to part shade, Well-<br>drained site                     | Great for the garden or the forest understory                                     |
| Callicarpa americana                               | American<br>Beautyberry           | 3'-6' airy shrub known for shockingly purple fruit   | Sun to part shade, Moist soil                                | Birds feed on showy fruit   |

| Scientific Name               | Common Name            | Description  | Growing Conditions                              | Comment  | Comme |
|-------------------------------|------------------------|--|---|--|-------|
| Carpinus caroliniana          | American Hornbeam      | 20'-40' tree, Attractive blue-gray<br>bark   | Sun to part shade, Moist soil                   | Great size for urban<br>landscapes   |       |
| Carya illinoinensis           | Pecan                  | Up to 100' with broad, rounded crown   | Sun to part shade, Moist, well-drained soil     | Planted for shade and familiar nut   |       |
| Carya laciniosa               | Shellbark Hickory      | Largest of the native hickories, 100' tall, 85' spread   | Sun to part shade, Prefers moist to wet sites   | Narrow rounded crown,<br>large nuts  |       |
| Ceanothus americanus          | New Jersey Tea         | Small mound; white flowers June-<br>July; 3'-4' tall and wide  | Tolerates dry infertile soil;<br>sun            | Good in clusters in difficult dry, sunny areas; cage to protect from browsing            |       |
| Celtis occidentalis           | Hackberry              | 60'-100' shade tree with wide spreading crown  | Highly adaptable                                | Larval host to several butterflies, fruit eaten by birds                                 |       |
| Cephalanthus<br>occidentalis  | Buttonbush             | 3'-6' shrub with white pincushion-<br>like flowers   | Part shade to sun, Thrives in moist soil        | Great for rain gardens,<br>Attracts butterflies  |       |
| Chionanthus virginicus        | White Fringe Tree      | Single-stem tree or large shrub;<br>cloud-like white, fragrant blossoms<br>in spring; 20'-30' tall, 15'-35' spread |   | Male plants more impressive in bloom but female bear date-like fruits; yellow fall color |       |
| Cladrastis<br>kentuckea/lutea | American<br>Yellowwood | 30-50' vase-shaped ornamental tree   | Sun to part shade, Well-<br>drained soil        | Fragrant white, pea-like flowers hang in 12" long chains                                 |       |
| Cornus florida                | Flowering Dogwood      | Distinctive white spring flower, 15-30'  | Part sun to shade, Well-<br>drained soil        | Good wildlife food   |       |
| Corylus americana             | American Filbert       | 10'-15' thicket forming shrub  | Part shade to sun, Well-<br>drained, moist soil | Valued for wildlife food and cover, fall color   |       |
| Diospyros virginiana          | Persimmon              | 35'-60' slow-growing tree with interesting, coarse bark  | Full sun, Somewhat<br>drought tolerant          | Sweet orange fruit is edible, Valued by wildlife   |       |
| Frangula caroliniana          | Carolina Coffeeberry   | 15'-20' deciduous tree, Foliage remains late into season   | Part shade, Most soil types                     | Attractive berries feed wildlife   |       |

| Scientific Name         | Common Name               | Description   | Growing Conditions   | Comment   | Comment |
|-------------------------|---------------------------|---|--|---|---------|
| Halesia carolinia       | Carolina Silverbell       | White flowers hang like bells in clusters; 30'-40' tall, 20'-35'wide                | Prefers moist organic<br>loam, roots in shade,<br>leaves in partial or full sun  | Leaves drop early in fall;<br>may grow up to 80'  |         |
| Hamamelis vernalis      | Vernal Witch-hazel        | 15-20' multi-stemmed shrub,<br>Golden fall color                                    | Part shade to sun, Well-<br>drained soil   | Early blooming native shrub, Fragrant yellow flowers  |         |
| Hamamelis virginiana    | Common Witch-<br>hazel    | 6'-10' multi-stemmed shrub,<br>Golden fall color                                    | Part shade to sun, Well-<br>drained, moist soil  | Fragrant thread-like<br>yellow flowers , October-<br>December   |         |
| Hypericum prolificum    | Shrubby St John's<br>Wort | 1-5', Yellow flowers, Naturalizes easily  | Moist, Sun to part shade   | Showy summer blooming shrub   |         |
| Itea virginica          | Sweetspire                | Small mound, suckering multi-<br>stemmed shrub; 3'-5' tall/wide                     | Tolerates heavy shade to full sun; wet or dry  | Fragrant white flowers in June, good fall color   |         |
| Leitneria floridana     | Corkwood                  | 8'-15' rare suckering shrub, Glossy foliage   | Sun to part shade,<br>Tolerates wet sites  | Separate male/female plants   |         |
| Lindera benzoin         | Spicebush                 | 8'-10' woodland shrub, Attractive gold fall color                                   | Part sun to shade, Moist soil  | Fragrant and attractive to swallowtails   |         |
| Magnolia virginiana     | Sweetbay Magnolia         | 30'-35' tall and wide multi-<br>stemmed shrub, creamy white<br>blooms               | Sun or shade, tolerates wet soils, requires acidic soil  | Sweetbay is sub-<br>evergreen, may be slow<br>to flower when young  |         |
| Nyssa sylvatica         | Black Gum                 | Grows in perfectly horizontal form;<br>slow grower to 30'-50' tall, 20'-30'<br>wide | Best in moist, acidic soil;<br>tolerates wet and dry,<br>rocky uplands   | May develop crimson red fall color; female trees' fruits turn blue in fall; attracts honeybees  |         |
| Physocarpus opulifolius | Common Ninebark           | 8' to 10' tall and wide somewhat coarse shrub                                       | Tolerant of most all growing conditions, dry, moist, acid or alkaline soils, sun or partial shade; renew shrub by cutting to ground in late winter | blooms pink to white in<br>June, red fruit in<br>September-October;<br>older stems exfoliate in<br>papery strips and expose<br>cinnamon-brown inner<br>bark |         |

| Scientific Name                   | Common Name         | Description  | Growing Conditions   | Comment   | Con |
|-----------------------------------|---------------------|--|--|---|-----|
| Prunus americana                  |                     | Single-stemmed tree or allow to sucker into thickets, 15'-20' tall, showy, snow white blooms in spring | Sun and good drainage,<br>follow spray regimen for<br>home fruit orchard | Earliest native plum to<br>bloom, tangy fruits form<br>in late summer, good fall<br>color |     |
| Prunus hortulana                  | Wild plum           |  |  |   |     |
| Prunus virginiana                 | Chokecherry         | Large, shade tolerant shrub 20'-30' tall, white blooms followed by red fruits that ripen to purple     | Sun or shade but best flowering in full sun                              | Only native cherry that tolerates shade; fruits favored by firds and other wildlife       |     |
| Ptelea trifoliata                 | Hoptree / Wafer Ash | 15'-20' understory shrub/small tree  | Shade to sun, Dry to moist soil  | Host plant for the giant swallowtail  |     |
| Quercus bicolor                   | Swamp White Oak     | 50' shade tree with rounded to oval form   | Full sun, Tolerates wet sites  | Acorn almost entirely covered by unique cap   |     |
| Quercus coccinea                  | Scarlet Oak         | 50'-75' shade tree with outstanding fall color   | Full sun, Well-drained, alkaline soil                                    | Food and cover for wildlife   |     |
| Quercus lyrata                    | Overcup Oak         | 60' shade tree, Upright oval crown   | Full sun, Adaptable to most sites  | Acorn almost entirely covered by unique cap   |     |
| Quercus macrocarpa                | Bur Oak             | 50'-80' shade tree, Slow-growing but majestic with age   | Sun to part shade, Very adaptable  | Large leaves and acorns,<br>Rough bark  |     |
| Quercus michauxii                 | •                   | 40'-60' shade tree, adapted to periodic flooding   | Full sun, Moist, well-<br>drained soil                                   | Brilliant red fall color,<br>Attractive silver plate-like<br>bark                         |     |
| Quercus michauxii x<br>macrocarpa |                     |  |  |   |     |
| Quercus prinoides                 | · ·                 | 20' shrubby oak, ideal for small gardens and hedgerows   | Full sun, Well-drained soil  | Great habitat and food source for birds and small mammals                                 |     |
| Quercus shumardii                 |                     | 40' to 60' tall, 30' to 45' wide long-<br>lived shade tree with red early fall<br>color                | Sun to part shade, Very adaptable  | Great habitat and food source for birds and small mammals                                 |     |
| Rhus aromatica                    | Fragrant Sumac      | Small shrub 6'-10' tall and wide,<br>blue-green hue to leaves; red, hairy<br>fruits in late summer     | Full sun to part shade,<br>prefers acidic, well-<br>drained soil         | Leaves and stems are aromatic when bruised  |     |

| Scientific Name      | Common Name                   | Description   | <b>Growing Conditions</b>                                  | Comment   | Comment |
|----------------------|-------------------------------|---|--|---|---------|
| Rubus odoratus       | Purple Flowering<br>Raspberry | 3'-6' tall, twice as wide mound-<br>shaped suckering shrub; pale<br>yellow foliage in fall                    | Full sun to part shade,<br>moist, well-drained soil        | Showy purple blooms,<br>fruit somewhat dry, NE IL<br>native           |         |
| Salix myricoides     | Bayberry Willow               | 10' many stemmed shrub  | Sun to part shade,<br>Tolerates wet sites                  | Early flowers are important insect nectar source                      |         |
| Sambucus canadensis  | Elderberry                    | Suckering shrub up to 12'   | Sun to part shade, Moist soil                              | Flat-topped white flower clusters, deep purple fruit                  |         |
| Sassafras albidum    | Sassafras                     | 30'-60', Yellow spring flower clusters, Vibrant fall color  | Sun to part shade, Very adaptable                          | Unique fragrance and leaf shape                                       |         |
| Staphylea trifolia   | Bladdernut                    | Medium sized upright shrub;<br>greenish-white spring flowers,<br>balloon-like fruit; 10'-15' tall and<br>wide | Sun or shade tolerant;<br>moist, well-drained soil<br>best | Yellow fall color; balloon-<br>like fruit turns brown in<br>September |         |
| Symphoricarpos albus | Snowberry                     | 3'-6' suckering shrub, known for showy white fruit clusters   | Sun to part shade, Very adaptable                          | Small pink flower clusters<br>bloom from mid-summer<br>into fall      |         |
| Taxodium distichum   | Bald Cypress                  | 50'-75' deciduous conifer with feather-like foliage   | Sun to part shade, Best in acidic, moist soil              | Attractive exfoliating bark, with well-known "knees" in wet areas     |         |
| Viburnum dentatum    | Arrowwood<br>Viburnum         | White spring flowers, Red fall color  | Sun to part shade, Moist soil                              | Winter bird food source   |         |
| Viburnum lentago     | Nannyberry                    | 15' multistemmed shrub, white summer flower clusters  | Sun to shade, Well-<br>drained, moist soil                 | Winter wildlife food source   |         |
| Viburnum prunifolium | Blackhaw                      | 15' multistemmed shrub, white summer flower clusters  | Sun to part shade, Well-<br>drained soil                   | Purple fall color,<br>persistant fruit                                |         |
| Viburnum trilobum    | American Cranberry<br>Bush    | 8'-12' flowering shrub, Red-purple fall foliage   | Part shade to sun, Moist, well-drained soil                | Persistant fruit are late season bird food                            |         |